

CytoClear

CELL LINE PATHOGEN SCREENING
MOUSE

ABBREVIATION	AGENTS	PREMIUM	REGULAR
		10000	10019
ECTRO	Ectromelia Virus	•	•
HANT	Hantaan Virus	•	
KV	K Virus (Mouse Pneumonitis Virus)	•	
LDHV	Lactate Dehydrogenase Elevating Virus	•	•
LCMV	Lymphocytic Choriomeningitis Virus	•	•
MMV	Mouse Minute virus	•	•
MAV-1 (FL)	Mouse Adenovirus-1 (MAV-FL)	•	•
MAV-2 (K87)	Mouse Adenovirus-2 (MAV-K87)	•	•
MPV (1-5)	Mouse Parvovirus	•	•
EDIM	Rotavirus/Epizootic Diarrhea of Infant Mice	•	•
MHV	Mouse Hepatitis Virus	•	•
MYCO	Mycoplasma generic	•	
MCMV	Murine Cytomegalovirus	•	
MTV	Mouse Thymic Virus	•	
PVM	Pneumonia Virus of Mice	•	•
POLY	Polyoma Virus	•	
REO	Respiratory Enteric Virus III	•	•
SEN	Sendai Virus	•	•
TMEV/GDVII	Theiler's Mouse Encephalomyelitis Virus	•	•

RAT

ABBREVIATION	AGENTS	10020
HANT	Hantaan Virus	•
KRV	Killham's Rat Virus	•
PVM	Pneumonia Virus of Mice	•
RCV	Rat Coronavirus	•
REO	Respiratory Enteric Virus III	•
SEN	Sendai Virus	•
TMEV/GDVII	Theiler's Mouse Encephalomyelitis Virus	•
H-1	Toolan's H-1 Virus	•

CytoClear

CELL LINE PATHOGEN SCREENING

HAMSTER

ABBREVIATION	AGENTS	PREMIUM
		10003
PVM	Pneumonia Virus of Mice	•
REO	Respiratory Enteric Virus III	•
SEN	Sendai Virus	•
LCMV	Lymphocytic Choriomeningitis Virus	•
MYCO	Mycoplasma spp.	•

HUMAN

ABBREVIATION	AGENTS	PREMIUM	REGULAR
		10012	10007
MYCO	Mycoplasma spp.	•	•
HIV1	Human immunodeficiency virus 1	•	•
HIV2	Human immunodeficiency virus 2	•	•
HTLV1	Human T-lymphotropic virus 1	•	•
HTLV2	Human T-lymphotropic virus 2	•	•
HEPA	Hepatitis virus A	•	•
HEPB	Hepatitis virus B	•	•
HEPC	Hepatitis C	•	•
HANT	Hantaviruses (Hantaan, Seoul, Sin Nombre virus)	•	
HSV1	Herpes simplex 1	•	
HSV2	Herpes simplex 2	•	
HCMV	Human cytomegalovirus	•	
HHV6	Human herpes virus 6	•	
HHV8	Human herpes virus 8	•	
HAdV	Human adenovirus	•	
HPV	Human papillomavirus 16 & 18	•	
LCMV	Lymphocytic choriomeningitis virus	•	
VZZ	Varicella virus	•	
EBV	Epstein-Barr virus	•	
CBOV	Corynebacterium bovis	•	

STERILITY

TEST CODE	AGENTS
80625	Detection of bacteria, including mycoplasma, and fungi contamination via aerobic and anaerobic culture. This test is performed using different solid and liquid culture media to ensure the growth of slow and fastidious contaminants